

FW20 - Work Boot O1

Collection: Occupational Footwear

Range: Footwear

Material Upper: Split Leather

Material Outsole: PU/PU

Outer Carton: 12

Product information

Lightweight and durable occupational work boot with a dual density outsole for added comfort and slip resistance.

Occupational Footwear

Lightweight durable styles for all day comfort. Ideal for light work and leisure.

Footwear

Innovation, design, styling and quality components define the Portwest foot protection collection.

Standards

EN ISO 20347 O1



Features

- Padded collar for added comfort
- Improved sole unit
- Anti-static footwear
- Energy Absorbing Seat Region
- SRC - Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Fuel and oil resistant outsole
- Dual density sole unit
- UKCA marked
- CE certified



PRODUCT SPECIFICATION & TECHNICAL DATA



PRODUCT SPECIFICATION & TECHNICAL DATA

FW20 - Work Boot O1

Commodity Code: 6403400000

Test House

Intertek Italia S.p.A. (Notified Body No.: 2575)

Via Guido Miglioli 2/A,

, Italy

Cert No: LECFI00381841

CARTON DIMENSIONS/WEIGHT

Item	Colour	Len	Wid	Hgt	Weight (Kg)	Cubic (m ³)	EAN13	DUN14
FW20BKR37	Black	70.0	43.0	38.0	1.0000	0.1144	5036108202515	15036108688170
FW20BKR38	Black	70.0	43.0	38.0	1.1700	0.1144	5036108134908	15036108628602
FW20BKR39	Black	70.0	43.0	38.0	0.9200	0.1144	5036108134915	15036108628619
FW20BKR40	Black	70.0	43.0	38.0	1.1900	0.1144	5036108134922	15036108628626
FW20BKR41	Black	70.0	43.0	38.0	1.2000	0.1144	5036108134939	15036108628633
FW20BKR42	Black	70.0	43.0	38.0	1.2100	0.1144	5036108134946	15036108628640
FW20BKR43	Black	70.0	43.0	38.0	1.2200	0.1144	5036108134953	15036108628657
FW20BKR44	Black	70.0	43.0	38.0	1.2300	0.1144	5036108134960	15036108628664
FW20BKR45	Black	70.0	43.0	38.0	1.2400	0.1144	5036108134977	15036108628671
FW20BKR46	Black	70.0	43.0	38.0	1.2500	0.1144	5036108134984	15036108628688
FW20BKR47	Black	70.0	43.0	38.0	1.2400	0.1144	5036108134991	15036108628695
FW20BKR48	Black	70.0	43.0	38.0	1.2800	0.1144	5036108202997	15036108689399